Serial No.: 10/065,811 Confirmation No.: 7984 Applicant: JOHANNESSON, Stig-Erik

Atty. Ref.: 07589.0063.PCUS00

AMENDMENTS TO THE CLAIMS:

1. (Original) A device for the ventilation of a transmission case intended to hold liquid lubricant for transmission components, said device comprising:

a passage connected between a residual volume of air inside the transmission case and atmospheric pressure outside the transmission case;

the passage comprising a first section with a certain flow area and a second section with, by comparison, an at least approximately 50% larger flow area, the first section being situated between the atmosphere and the second section; and

a compressed air source connected to the passage between the inside of the transmission case and the first section.

- 2. (Currently Amended) The device as recited in claim 1, wherein the passage further comprises a third section that extends between the inside of the transmission case and the second section.
- 3. (Original) The device as recited in claim 2, wherein the third passage section comprises a connection leading to the compressed air source.
- 4. (Original) The device as recited in claim 3, wherein the connection opens into the second passage section and is directed towards the first passage section.

Serial No.: 10/065,811 Confirmation No.: 7984 Applicant: JOHANNESSON, Stig-Erik

Atty. Ref.: 07589.0063.PCUS00

- 5. (Original) The device as recited in claim 1, wherein the second section of the passage is designed as a cylindrical chamber with a largely vertical longitudinal axis.
- 6. (Original) The device as recited in claim 1, wherein the compressed air source consists of a ventilation port from an air cylinder.
- 7. (Original) The device as recited in claim 6, wherein the air cylinder is adapted to be used for the operation of transmission components in the transmission case.
- 8. (Currently Amended) The device as recited in claim 2, wherein the third passage section is designed so that it presents a greater flow resistance that than the first passage section.
- 9. (Original) A device for ventilating a transmission case adapted to hold liquid lubricant for transmission components, said device comprising:

a passage connectable between a residual volume of air inside a transmission case and the atmosphere outside the transmission case, the passage comprising an expansion portion that tapers to a neck opening leading to atmospheric air that is to be drawn into the device;

the expansion portion being positioned downstream to the neck opening and having a sufficiently large area to cause suspended particles swept through the neck opening to fall out of suspension and be trapped therein; and

a compressed air source connected to the device and configured to backwash trapped particles from within the expansion portion.

Serial No.: 10/065,811 Confirmation No.: 7984 Applicant: JOHANNESSON, Stig-Erik

Atty. Ref.: 07589.0063.PCUS00

10. (Original) The device as recited in claim 9, wherein a flow area of the neck opening is approximately 50% less than a flow area of the expansion portion.

11. (Original) The device as recited in claim 9, further comprising:

a conduit extending from the expansion portion and connectable to a residual volume of air inside a transmission case; and

an annulus formed at least partially about the conduit, the annulus establishing a flow path for compressed air utilized to backwash trapped particles from within the expansion portion.

12. (New) A filterless device for ventilating a transmission case adapted to hold liquid lubricant for transmission components, said device comprising:

a passage connectable between a residual volume of air inside a transmission case and the atmosphere outside the transmission case, the passage comprising an expansion portion that tapers to a neck opening leading to atmospheric air that is to be drawn into the device;

the expansion portion being positioned downstream to the neck opening and having a sufficiently large area to cause suspended particles swept through the neck opening to fall out of suspension and be trapped therein.

Serial No.: 10/065,811 Confirmation No.: 7984 Applicant: JOHANNESSON, Stig-Erik Atty. Ref.: 07589.0063.PCUS00

13. (New) The filterless device for ventilating a transmission case as recited in claim 12, said device further comprising:

the areas of the expansion portion and the neck opening being substantially open thereacross and filter-medium free.